

# *The Cathedral Collection*

Naturally Charismatic Wood Floors



**orchard  
timber products**

Part of **National Timber Group**

# The Cathedral Collection

## The Cathedral Collection

Welcome to the Cathedral Collection, a diverse range of charismatic wood floors, beautifully designed and expertly crafted.

Within the Cathedral Collection, you will find a variety of stunning natural Oak floors in 1-strip, 3-strip & now Herringbone formats. The colour spectrum, from pale white oaks, through to natural straw browns, modern greys and dark smokey hues, reflects a range of colours and styles that are highly sought after by the modern consumer.

There is diversity and character within this collection, reflecting the natural beauty of wood. Floors that are built to stand the test of time, feel warm underfoot, and bring a touch of class to soften the interior décor of any home.

Each product resonates with quality and exceptional craftsmanship, combining stunning attention to detail with innovative design.

All products come with a manufacturer's warranty, a mechanical glue-less locking system, and a hardwood surface, which can be sanded and resealed up to three times within the board's lifetime.

## Beauty With A Conscience

The Cathedral Collection is designed with the discerning consumer in-mind. These floors will transform a home or business, creating a calm environment that will exude confidence and promote a sense of well-being within the interior space.


All floors are sustainably sourced, have full chain of custody and are manufactured to strict environmental guidelines.

## Quality Products, Quality Service

Stocked in bulk in the UK, all of the Cathedral Collection floors can typically be delivered nationwide within 3 working days.

Branded display stands are available to promote the collection in-store along with the product specification sheets included within this binder, giving full details of each product from the surface treatment and board dimensions to the wear-layer and warranty.

Hand samples of all of the floors in the Cathedral Collection can also be delivered to your customers direct or into branch to allow consumers to see the products in the flesh prior to making their purchase.



**Special Offer - Only While Stocks Last!**



## *Oak Palermo Grey*

### **Technical Specifications:**

Available Finishes:	Brushed Matt Lacquer
Design:	1-Strip, 4-Sided Bevel
Board Dimensions:	1900 x 190 x 14mm
Wear-Layer:	3.5mm approx.
Re-Sandable:	2 – 3 Times.
Joint System:	Woodloc® 5G Click Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m <sup>2</sup>
Package Weight:	23kgs
Warranty:	20 Years.
Suitable with Underfloor Heating?	Yes



**Special Offer - Only While Stocks Last!**



## *Oak Durham Matt*

### **Technical Specifications:**

Available Finishes:	Matt Lacquered
Design:	3-Strip
Board Dimensions:	2421 x 200 x 14mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 – 3 Times.
Joint System:	Profiloc 5G Click-Joint
Installation:	Floating or Glue-Down
Pack Size:	2.91m <sup>2</sup>
Package Weight:	22kgs
Warranty:	20 Years.
Suitable with Underfloor Heating?	Yes





## *Oak Milan Matt*

### **Technical Specifications:**

Surface Finish:	Brushed Matt Lacquered
Format:	1-Strip, 4-Sided Micro-Bevel
Board Dimensions:	2200 x 185 x 13mm
Wear-Layer:	2.5mm approx.
Re-Sandable:	1 - 2 Times.
Joint System:	Automatic-Click-System (Long & Edge Locking)
Installation:	Floating or Glue-Down
Pack Size:	3.663m <sup>2</sup>
Package Weight:	26kgs
Warranty:	25 Years.
Thermal Resistance	0.087 m <sup>2</sup> K/W Suitable for Underfloor Heating





## *Oak Milan Oiled*

### **Technical Specifications:**

Surface Finish:	Brushed & Oiled
Format:	1-Strip, 4-Sided Micro-Bevel
Board Dimensions:	2200 x 185 x 13mm
Wear-Layer:	2.5mm approx.
Re-Sandable:	1 - 2 Times.
Joint System:	Automatic-Click-System (Long & Edge Locking)
Installation:	Floating or Glue-Down
Pack Size:	3.663m <sup>2</sup>
Package Weight:	26kgs
Warranty:	25 Years.
Thermal Resistance	0.087 m <sup>2</sup> K/W Suitable for Underfloor Heating





## *Oak Sofia Satin*

### **Technical Specifications:**

Available Finishes:	Satin Lacquered
Design:	3-Strip
Board Dimensions:	2200 x 185 x 13mm
Wear-Layer:	3.6mm Approx.
Re-Sandable:	1 – 2 times
Joint System:	Automatic-Click-System (Long & Edge Locking)
Installation:	Floating or Glue-Down
Pack Size:	3.663m <sup>2</sup>
Package Weight:	29kgs
Warranty:	25 Years.
Thermal Resistance	0.087m <sup>2</sup> K/W Suitable for Underfloor Heating





## *Oak Sofia Matt*

### **Technical Specifications:**

Available Finishes:	Matt Lacquered
Format:	3-Strip
Board Dimensions:	2200 x 185 x 13mm
Wear-Layer:	2.5mm Approx.
Re-Sandable:	1 – 2 times
Joint System:	Automatic-Click-System (Long & Edge Locking)
Installation:	Floating or Glue-Down
Pack Size:	3.663m <sup>2</sup>
Package Weight:	29kgs
Warranty:	25 Years.
Thermal Resistance	0.087m <sup>2</sup> K/W Suitable for Underfloor Heating








## *Oak Florence White Matt*

### Technical Specifications:

Available Finishes:	Matt Lacquered
Design:	1-Strip, 4-Sided Bevel
Board Dimensions:	1900 x 190 x 14mm
Wear-Layer:	3.5mm approx.
Re-Sandable:	2 – 3 times
Joint System:	Woodloc® 5G Click Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m <sup>2</sup>
Package Weight:	23kgs
Warranty:	20 Years.
Suitable with Underfloor Heating?	Yes





## *Oak Seville Oiled*

### Technical Specifications:

Available Finishes:	Brushed White Oiled
Design:	1-Strip, 4-Sided Bevel
Board Dimensions:	1900 x 190 x 14mm
Wear-Layer:	3mm Approx.
Re-Sandable:	2 – 3 Times.
Joint System:	Fold-Down Click Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m <sup>2</sup>
Package Weight:	23kgs
Warranty:	20 Years.
Suitable with Underfloor Heating?	Yes





## *Oak Galicia Brushed Matt*

### Technical Specifications:

Available Finishes:	Brushed Matt Lacquered
Design:	1-Strip, 4-Sided Micro-Bevel
Board Dimensions:	2200 x 185 x 13mm
Wear-Layer:	2.5mm Approx.
Re-Sandable:	1 - 2 Times.
Joint System:	Automatic-Click-System (Long & Edge Locking)
Installation:	Floating or Glue-Down
Pack Size:	3.663m <sup>2</sup>
Package Weight:	26kgs
Warranty:	25 Years.
Thermal Resistance	0.087 m <sup>2</sup> K/W Suitable for Underfloor Heating





## *Oak Galicia Oiled*

### **Technical Specifications:**

Available Finishes:	Brushed & Oiled
Design:	1-Strip, 4-Sided Micro-Bevel
Board Dimensions:	2200 x 185 x 13mm
Wear-Layer:	2.5mm Approx.
Re-Sandable:	1 - 2 Times.
Joint System:	Automatic-Click-System (Long & Edge Locking)
Installation:	Floating or Glue-Down
Pack Size:	3.663m <sup>2</sup>
Package Weight:	23kgs
Warranty:	25 Years.
Thermal Resistance	0.087 m <sup>2</sup> K/W Suitable for Underfloor Heating





## *Oak Trondheim Oiled*

### Technical Specifications:

Available Finishes:	Brushed and Oiled
Design:	1-Strip, 4-Sided Bevel.
Board Dimensions:	2420 x 187 x 15mm
Wear-Layer:	3mm approx.
Re-Sandable:	2 - 3 Times.
Joint System:	Woodloc® 5S Click Joint
Installation:	Floating or Glue-Down
Pack Size:	2.72m <sup>2</sup>
Package Weight:	23kgs
Warranty:	30 Years.
Suitable with Underfloor Heating?	Yes






*Oak Carlisle Natural Herringbone*

**Technical Specifications:**

Available Finishes:	Matt Lacquered
Design:	Herringbone, 4-Sided Micro-Bevel
Board Dimensions:	570 x 95 x 10.5mm
Wear-Layer:	2.5mm
Joint System:	Allround-Click-System
Installation:	Floating
Pack Size:	1.08m <sup>2</sup>
Package Weight:	5.40kgs
Warranty:	25 Year Residential Warranty
Thermal Resistance	0.07m <sup>2</sup> K/W - Suitable with Underfloor Heating





*Oak Clifton White Herringbone*

**Technical Specifications:**

Available Finishes:	Matt Lacquered
Design:	Herringbone, 4-Sided Micro-Bevel
Board Dimensions:	570 x 95 x 10.5mm
Wear-Layer:	2.5mm
Joint System:	Allround-Click-System
Installation:	Floating
Pack Size:	1.08m <sup>2</sup>
Package Weight:	5.40kgs
Warranty:	25 Year Residential Warranty
Thermal Resistance	0.07m <sup>2</sup> K/W - Suitable with Underfloor Heating





*Oak York Grey / Brown Herringbone*

**Technical Specifications:**

Available Finishes:	Matt Lacquered
Design:	Herringbone, 4-Sided Micro-Bevel
Board Dimensions:	570 x 95 x 10.5mm
Wear-Layer:	2.5mm
Joint System:	Allround-Click-System
Installation:	Floating
Pack Size:	1.08m <sup>2</sup>
Package Weight:	5.40kgs
Warranty:	25 Year Residential Warranty
Thermal Resistance	0.07m <sup>2</sup> K/W - Suitable with Underfloor Heating







## *Oak Inverness Matt*

### Technical Specifications:

Available Finishes:	Brushed Matt Lacquered
Design:	3-Strip
Board Dimensions:	2423 x 200 x 15mm
Wear-Layer:	3mm approx.
Re-Sandable:	2 – 3 Times.
Joint System:	Woodloc® 5SClick Joint
Installation:	Floating or Glue-Down
Pack Size:	2.91m <sup>2</sup>
Package Weight:	23kgs
Warranty:	30 Years.
Suitable with Underfloor Heating?	Yes





## *Oak Canterbury Oiled*

### Technical Specifications:

Available Finishes:	Oiled, Handscraped
Design:	1-Strip, 4-Sided Bevel
Board Dimensions:	1900 x 190 x 14mm
Wear-Layer:	3mm approx.
Re-Sandable:	2 – 3 Times.
Joint System:	Woodloc® 5G Click Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m <sup>2</sup>
Package Weight:	23kgs
Warranty:	20 Years.
Suitable with Underfloor Heating?	Yes





## *Oak Salisbury Oiled*

### Technical Specifications:

Available Finishes:	Oiled, Smoked & Handscraped
Design:	1-Strip, 4-Sided Bevel
Board Dimensions:	1900 x 190 x 14mm
Wear-Layer:	3mm approx.
Re-Sandable:	2 – 3 Times.
Joint System:	Woodloc® 5G Click Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m <sup>2</sup>
Package Weight:	23kgs
Warranty:	20 Years.
Suitable with Underfloor Heating?	Yes






## *Oak Cologne Oiled*

### Technical Specifications:

Available Finishes:	Brushed Oiled
Design:	1-Strip, 4-Sided MicroBevel, Smoked.
Board Dimensions:	1900 x 190 x 14mm
Wear-Layer:	2.5mm approx.
Re-Sandable:	2 – 3 Times.
Joint System:	Fold-Down Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m <sup>2</sup>
Package Weight:	22kgs
Warranty:	20 Years.
Suitable with Underfloor Heating?	Yes





## *Oak Venice Oiled*

### **Technical Specifications:**

Available Finishes:	Grey Stained & Oiled
Design:	1-Strip, 4-Sided Micro-Bevel.
Board Dimensions:	1900 x 190 x 14mm
Wear-Layer:	3mm approx.
Re-Sandable:	2 – 3 Times.
Joint System:	Fold Down Joint
Installation:	Floating or Glue-Down
Pack Size:	2.88m <sup>2</sup>
Package Weight:	23kgs
Warranty:	20 Years.
Suitable with Underfloor Heating?	Yes





orchard  
timber products

Part of **National Timber Group**